



FENWICK 2014

FENWICK TECHNOLOGY GLOSSARY

BLANKS



Cross-Scrim Graphite Construction utilizes overlapping layers of carbon fiber to achieve exceptional strength and action.



Blanks spiraled with carbon thread creating unparalleled strength and precise action



A multi-piece rod that connects with several sections to create different actions

SPIGOT FERRULE

Creates rod piece connections that are stronger than traditional multi-section rods and give rods pure crisp action

GUIDES



Deep pressed titanium guides help eliminate insert pop-out and are virtually bulletproof!



Beefed up tip-top guide stands up to any challenge



Stainless steel guides and inserts are lightweight, strong, and corrosion resistant



fenwick 2014

Pure Fishing, a subsidiary of Jarden Corporation (NYSE: JAH)
Pure Fishing • 7 Science Court • Columbia SC 29203

HANDLES

TAC HANDLE™

Technically Advanced Construction handles are proprietary handle designs that are more durable and 'tackier' than traditional cork. Unlike conventional cork, the T.A.C. Handle™ design gives you a solid grip when the handle becomes wet.

HIDDEN HANDLE DESIGN

The unique hidden handle design has sculpted TAC™ inlays that combine for a feeling of outstanding control, while keeping weight to an absolute minimum.

CORK HANDLE

Our highest grade cork material provides lightweight comfort



Quality reel seats from a trusted name in the fishing industry

TABLE OF CONTENTS

AETOS	1
HMG	2
HMX	3
EAGLE GT	4
ELITE TECH RODS	5-10
SMALLMOUTH	6
RIVER RUNNER	7
WALLEYE	8
MUSKIE	9
ICE	10
AETOS ICE	11
METHODS	12
SPECIFICATIONS	13-16

Aetos rods are built with the same traditional feel of a Fenwick, but have all the swagger of today's high-tech rods. 26 artfully crafted actions to conquer any species.

LIGHTEST FENWICKS EVER MADE

AETOS™



TAC
HANDLE™

Solid grip when handle
becomes wet



FUJI® 5K Reel Seat



Deep Pressed Titanium Guides

The HMG changed fishing forever as the world's first graphite rod. 40 years later Fenwick has reinvented a classic with the lightest, most comfortable, most durable HMG ever.
Custom lengths and actions for all species.

A LEGEND REBORN

HMG NEW



TAC
HANDLE™

Solid grip when handle
becomes wet

CARBON BOUND

Blanks spiraled with carbon thread

Ti²² GUIDES

Deep Pressed Titanium Guides

The HMX is all about action. Rods ranging from ultralight to heavier salmon steelhead and everything in between. Each rod carefully tapered to achieve perfection.

FEEL THE ACTION

HMX



TAC
HANDLE™

Solid grip when handle
becomes wet

CS
CROSS SCRIM

Cross-Scrim Graphite Construction

SS GUIDES

Stainless Steel Guides



EAGLE GT

Eagle GT represents Fenwick's rich heritage as a premiere rod builder. Classic, time tested actions for all species. One of our most proven and iconic rod brands.

FISH A LEGEND



CORK HANDLE


Lightweight comfort

Classic Fenwick Actions

Time tested and proven from the original graphite rod company

SS GUIDES

Stainless Steel Guides



Elite Tech™ rods by Fenwick represent a new way to build a rod series. A series of rods designed for the angler with all applications and techniques in mind. There is no series of rods that is more comprehensive, all built with unique components and constructions to match specific techniques and target specific species.

Elite Tech Smallmouth rods are one of the most comfortable rods on the market today. These rods make casting all day long seem easy. Unique lengths and actions designed specifically for smallmouth bass fishing.

FEEL THE DIFFERENCE

EliteTECH Smallmouth



HIDDEN HANDLE
DESIGN

Outstanding comfort and control

Ti²² GUIDES

Deep Pressed Titanium Guides

TAC
HANDLE™

Solid grip when handle
becomes wet

Elite Tech River Runner focuses solely on the art of trout with soft actions and fast tapers. These rods cover applications from light marabous to heavy spinners with the greatest of ease. Spinning rods with the feel of high end fly rods.

FINESSE AT IT'S FINEST

EliteTECH River Runner



HIDDEN HANDLE DESIGN

Outstanding comfort and control

Ti²² GUIDES

Deep Pressed Titanium Guides


SPIGOT FERRULE

Creates rod piece connections that are stronger than traditional multi-section rods and give rods pure crisp action

Elite Tech Walleye rods are about sensitivity, designed for fishing light lines and feeling every bite. Fast actions and unparalleled comfort put these rods at the top of the professional walleye circuits.

FEEL EVERYTHING

EliteTECH walleye



TAC
HANDLE™

Solid grip when handle
becomes wet



Reel Seat



Guides

EliteTECH **Muskie**

Muskie anglers rejoice. The ultimate collision of lightweight, power, balance, and blank stiffness. Total lure control and fish fighting power.

IN CONTROL



TAC
HANDLE™

Solid grip when handle
becomes wet



Reel Seat

CARBOLOY
TIP-TOP

Beefed up tip-top guide

Elite Tech Ice rods are performance driven rods designed specifically for the avid ice angler. Every component put into these rods enhances the angler's abilities to fish in harsh conditions.

BUILT TO LAST

EliteTECH Ice



Deep Pressed Titanium Guides

TWIST LOCK REEL SEAT

Reel seat with stainless steel hood

OVERSIZED GUIDES

Larger guides than most ice rods on the market to avoid freeze ups

Aetos ice rods are the first ice rods on the market that are built like open water rods with a true action and power. Fast tips give these rods unmatched hook set ability and extreme sensitivity.

EPIC ACTIONS



NEW
ICE
AETOS™



HIDDEN HANDLE
DESIGN

Outstanding comfort and control

SS GUIDES

Stainless steel guides and Inserts

TAC
HANDLE™

Solid grip when handle
becomes wet

Methods pack rods are a game changer for the avid traveling angler.
Methods™ features 5 interchangeable pieces in 1 tube which
allows anglers to be prepared for multiple
situations and still pack light.

REVOLUTIONARY DESIGN

NEW
Methods™



TAC
HANDLE™

Solid grip when handle
becomes wet

SPIGOT FERRULE

Creates rod piece connections that
are stronger than traditional
multi-section rods and give rods
pure crisp action



Multiple actions with one rod

AETOS SPECIFICATIONS

MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT	LINE WT	HANDLE	# GUIDES
SPINNING									
A631MXFS	1274801	6'3"	1	Medium	Extra Fast	1/8-5/8	4-12	D	8
A631MHXFS	1274802	6'3"	1	Medium Heavy	Extra Fast	1/4-3/4	8-17	D	8
A661MFS	1274803	6'6"	1	Medium	Fast	1/8-5/8	6-14	D	8
A662MFS	1274804	6'6"	2	Medium	Fast	1/8-5/8	6-14	D	8
A671MHFS	1274805	6'7"	1	Medium Heavy	Fast	1/4-3/4	8-17	E	8
A681MHXFS	1274806	6'8"	1	Medium Heavy	Extra Fast	1/4-3/4	8-17	E	8
A701MHFS	1274807	7'	1	Medium Heavy	Fast	3/8-1	10-17	E	8
A701MFS	1274808	7'	1	Medium	Fast	1/8-5/8	6-14	E	8
A702MFS	1274809	7'	2	Medium	Fast	1/8-5/8	6-14	E	8
A721MXFS	1274810	7'2"	1	Medium	Extra Fast	1/8-5/8	6-14	E	8
A741MHXFS	1274811	7'4"	1	Medium Heavy	Extra Fast	3/8-1	10-17	F	8
A761MHFS	1274812	7'6"	1	Medium Heavy	Fast	3/8-1 1/4	12-20	F	9
A761MLXFS	1274813	7'6"	1	Medium Light	Extra Fast	1/16-1/2	4-10	F	9
CASTING									
A641MXFC	1274814	6'4"	1	Medium	Extra Fast	1/4-5/8	6-12	A	10
A661MFC	1274815	6'6"	1	Medium	Fast	1/4-5/8	8-14	A	10
A661MLMC	1274816	6'6"	1	Medium Light	Moderate	1/8-1/2	6-12	B	10
A681MHFC	1274817	6'8"	1	Medium Heavy	Fast	1/4-3/4	10-17	B	10
A701MMC	1274821	7'	1	Medium	Moderate	1/4-3/4	8-14	B	10
A701MHFC	1274818	7'	1	Medium Heavy	Fast	3/8-1	10-17	B	10
A701MHMFC	1274819	7'	1	Medium Heavy	Moderate Fast	3/8-1	10-20	B	10
A701MHXFC	1274820	7'	1	Medium Heavy	Extra Fast	3/8-1	12-20	B	10
A721MHXFC	1274822	7'2"	1	Medium Heavy	Extra Fast	3/8-1	12-20	C	10
A741MFC	1274823	7'4"	1	Medium	Fast	1/4-3/4	10-17	C	10
A761HXFC	1274824	7'6"	1	Heavy	Extra Fast	3/8-1	12-30	C	10
A761MHMC	1274825	7'6"	1	Medium Heavy	Moderate	3/8-1 1/2	10-20	C	10
A791HXFC	1274826	7'9"	1	Heavy	Extra Fast	1/2-4	17-30	C	10



HMG SPECIFICATIONS

MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT	LINE WT	HANDLE	# GUIDES
SPINNING									
HMG60L-MS-2	1294284	6'	2	Light	Moderate	1/16-3/8	4-8	D	7
HMG60ML-FS	1294258	6'	1	Medium Light	Fast	1/8-5/8	6-12	D	7
HMG60M-FS	1294257	6'	1	Medium	Fast	1/4-3/4	8-14	D	7
HMG60M-FS-2	1294282	6'	2	Medium	Fast	1/4-3/4	8-14	D	7
HMG66L-MFS-2	1294285	6'6"	2	Light	Moderate Fast	1/16-3/8	4-8	E	8
HMG66M-FS	1294255	6'6"	1	Medium	Fast	1/4-3/4	8-14	E	8
HMG66M-FS-2	1294279	6'6"	2	Medium	Fast	1/4-3/4	8-14	E	8
HMG66MH-FS	1294256	6'6"	1	Medium Heavy	Fast	3/8-1	10-17	E	8
HMG69ML-FS	1294254	6'9"	1	Medium Light	Fast	1/8-5/8	6-12	E	8
HMG69ML-FS-2	1294281	6'9"	2	Medium Light	Fast	1/8-5/8	6-12	E	8
HMG70UL-MS-2	1294286	7'	2	Ultra Light	Moderate	1/32-1/4	2-6	F	9
HMG70ML-FS	1294253	7'	1	Medium Light	Fast	1/8-5/8	6-12	F	9
HMG70M-FS	1294251	7'	1	Medium	Fast	1/4-3/4	8-14	F	9
HMG70M-FS-2	1294280	7'	2	Medium	Fast	1/4-3/4	8-14	F	9
HMG70MH-FS	1294252	7'	1	Medium Heavy	Fast	3/8-1	10-17	F	9
HMG76L-MS-2	1294287	7'6"	2	Light	Moderate	1/16-3/8	4-8	F	9
HMG76ML-FS	1294250	7'6"	1	Medium Light	Fast	1/8-5/8	6-12	G	9
CASTING									
HMG66M-FC	1294292	6'6"	1	Medium	Fast	1/4-3/4	8-17	A	11
HMG66MH-FC	1294293	6'6"	1	Medium Heavy	Fast	3/8-1	10-20	A	11
HMG70M-FC	1294290	7'	1	Medium	Fast	1/4-3/4	8-17	B	11
HMG70MH-FC	1294289	7'	1	Medium Heavy	Fast	3/8-1	10-20	B	11
HMG72M-MFC	1294291	7'2"	1	Medium	Moderate Fast	3/8-1	8-17	B	11
HMG76MH-XFC	1294288	7'6"	1	Medium Heavy	Extra Fast	3/8-1	10-20	C	11



HMX SPECIFICATIONS

MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT	LINE WT	HANDLE	# GUIDES
SPINNING									
HMX-S53L-M	1274827	5'3"	1	Light	Moderate	1/16-3/8	2-8	I	6
HMX-S562UL-MF	1274828	5'6"	2	Ultra Light	Moderate Fast	1/32-1/4	1-6	I	7
HMX-S602L-MF	1274829	6'	2	Light	Moderate Fast	1/16-3/8	2-8	J	7
HMX-S60ML-M	1274831	6'	1	Medium Light	Moderate	1/8-5/8	4-10	J	7
HMX-S60M-F	1274830	6'	1	Medium	Fast	1/8-3/4	4-12	J	7
HMX-S662L-M	1274832	6'6"	2	Light	Moderate	1/16-3/8	2-8	L	8
HMX-S66ML-F	1274837	6'6"	1	Medium Light	Fast	1/8-5/8	4-10	L	8
HMX-S662ML-MF	1274836	6'6"	2	Medium Light	Moderate Fast	1/8-5/8	4-10	L	8
HMX-S66M-F	1274833	6'6"	1	Medium	Fast	1/8-3/4	4-12	L	8
HMX-S662M-F	1274834	6'6"	2	Medium	Fast	1/8-3/4	4-12	L	8
HMX-S662MH-F	1274835	6'6"	2	Medium Heavy	Fast	1/4-1	8-17	L	8
HMX-S610MH-F	1274838	6'10"	1	Medium Heavy	Fast	1/4-1	8-17	L	9
HMX-S70M-F	1274839	7'	1	Medium	Fast	1/8-3/4	4-12	M	9
HMX-S702M-XF	1274840	7'	2	Medium	Extra Fast	1/8-3/4	4-12	M	9
HMX-S70ML-F	1274841	7'	1	Medium Light	Fast	1/8-5/8	4-10	M	9
HMX-S762L-F	1274842	7'6"	2	Light	Fast	1/16-3/8	2-8	M	9



HMX SPECIFICATIONS

CASTING

HMX-C60M-F	1274843	6'	1	Medium	Fast	1/4-3/4	8-20	A	9
HMX-C66M-F	1274844	6'6"	1	Medium	Fast	1/4-3/4	8-20	E	10
HMX-C66MH-MF	1274845	6'6"	1	Medium Heavy	Moderate Fast	1/4-1 1/4	10-25	E	10
HMX-C70M-F	1274847	7'	1	Medium	Fast	1/4-3/4	8-20	F	10
HMX-C70MH-MF	1274848	7'	1	Medium Heavy	Moderate Fast	1/4-1 1/4	10-25	F	10
HMX-C76H-F	1274849	7'6"	1	Heavy	Fast	3/8-2	12-30	F	10

SALMON/STEELHEAD SPINNING

HMX-S832GML-F	1274872	8'3"	2	Medium Light	Fast	1/4-5/8	6-17	N	10
HMX-S862XL-M	1274874	8'6"	2	Extra Light	Moderate	1/16-5/8	4-10	K	10
HMX-S862L-MF	1274864	8'6"	2	Light	Moderate Fast	3/16-1/2	4-15	K	10
HMX-S902GL-M	1274866	9'	2	Light	Moderate	1/16-3/8	2-8	N	10
HMX-S902ML-F	1274867	9'	2	Medium Light	Fast	1/4-5/8	4-10	K	10
HMX-S902GM-M	1274877	9'	2	Medium	Moderate	3/8-1	10-25	N	10
HMX-S902M-M	1274863	9'	2	Medium	Moderate	3/8-1	10-20	K	10
HMX-S962XL-M	1274878	9'6"	2	Extra Light	Moderate	1/16-5/8	2-6	K	10
HMX-S962L-MF	1274870	9'6"	2	Light	Moderate Fast	1/4-5/8	4-10	O	10
HMX-S962M-MF	1274868	9'6"	2	Medium	Moderate Fast	3/8-1	10-20	K	10
HMX-S1062GXL-M	1274865	10'6"	2	Extra Light	Moderate	1/16-3/4	2-10	P	10
HMX-S1062XL-M	1274869	10'6"	2	Extra Light	Moderate	1/16-5/8	2-10	K	10
HMX-S1262RXL-M	1274876	12'6"	2	Extra Light	Moderate	1/16-5/8	4-10	K	10

SALMON/STEELHEAD CASTING

HMX-C862M-MF	1274855	8'6"	2	Medium	Moderate Fast	3/8-3/4	8-12	B	10
HMX-C862MH-F	1274851	8'6"	2	Medium Heavy	Fast	1/2-1 1/2	10-20	B	10
HMX-C86XH-M	1274850	8'6"	1	Extra Heavy	Moderate	14-20	80-150	G	10
HMX-C892M-F	1274860	8'9"	2	Medium	Fast	3/8-1	8-20	B	10
HMX-C902M-M	1274858	9'	2	Medium	Moderate	3/8-1	8-15	B	10
HMX-C902MH-M	1274856	9'	2	Medium Heavy	Moderate	3/8-2	12-30	C	10
HMX-C902MH-F	1274852	9'	2	Medium Heavy	Fast	1-2 1/2	15-30	B	10
HMX-C102XH-MF	1274862	10'	2	Extra Heavy	Moderate Fast	2-6	17-80	D	12
HMX-C1062M-F	1274853	10'6"	2	Medium	Fast	3/8-1	10-20	C	12
HMX-M1062M-MF	1274875	10'6"	2	Medium	Moderate Fast	3/8-1	10-20	H	11
HMX-M1062MH-M	1274871	10'6"	2	Medium Heavy	Moderate	3/8-2 1/2	12-25	H	11
HMX-M1062H-XF	1274873	10'6"	2	Heavy	Extra Fast	1-4	20-30	H	11



EAGLE GT SPECIFICATIONS

MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT	LINE WT	HANDLE	#GUIDES
SPINNING									
EGTS49UL	1160775	4'9"	1	Ultra Light	Moderate	1/32-1/4	1-6	H	6
EGTS53L	1160776	5'3"	1	Light	Moderate	1/16-3/8	2-8	H	6
EGTS56UL-2	1160879	5'6"	2	Ultra Light	Moderate	1/32-1/4	1-6	I	7
EGTS56MH-2	1202098	5'6"	2	Medium Heavy	Moderate Fast	3/16-1	8-17	I	7
EGTS59M	1160777	5'9"	1	Medium	Moderate Fast	1/8-3/4	4-12	J	7
EGTS60L-2	1160880	6'	2	Light	Moderate Fast	1/16-3/8	2-8	J	7
EGTS60ML	1160778	6'	1	Medium Light	Moderate	1/8-5/8	4-10	J	7
EGTS60M	1160859	6'	1	Medium	Moderate Fast	1/8-3/4	4-12	J	7
EGTS60MH	1160860	6'	1	Medium Heavy	Moderate Fast	1/4-1	8-17	J	7
EGTS66L-2	1160881	6'6"	2	Light	Moderate Fast	1/16-3/8	2-8	K	7
EGTS66ML	1160861	6'6"	1	Medium Light	Moderate	1/8-5/8	4-10	K	7
EGTS66M	1160862	6'6"	1	Medium	Fast	1/8-3/4	4-12	K	7
EGTS66M-2	1160882	6'6"	2	Medium	Moderate Fast	1/8-3/4	4-12	K	7
EGTS66MH	1160863	6'6"	1	Medium Heavy	Moderate Fast	1/4-1	8-17	K	7
EGTS66MH-2	1202099	5'6"	2	Medium Heavy	Moderate Fast	3/16-1	8-17	K	7
EGTS70L-2	1160883	7'	2	Light	Moderate	1/16-3/8	2-8	L	8
EGTS70ML-4	1160885	7'	4	Medium Light	Moderate Fast	1/8-5/8	4-10	J	9
EGTS70M	1160865	7'	1	Medium	Moderate Fast	1/8-3/4	4-12	L	8
EGTS70M-2	1160884	7'	2	Medium	Moderate Fast	1/8-3/4	4-12	L	8

CASTING

EGTT60M	1160886	6'	1	Medium	Moderate Fast	1/4-3/4	8-20	C	7
EGTT66M	1160887	6'6"	1	Medium	Fast	1/4-3/4	8-20	D	7
EGTT66MH	1160888	6'6"	1	Medium Heavy	Moderate Fast	1/4-1 1/4	10-25	D	7
EGTT66MH-2	1202100	6'6"	2	Medium Heavy	Moderate Fast	3/16-1	10-25	F	7
EGTT70M	1160890	7'	1	Medium	Moderate Fast	1/4-3/4	8-20	E	8
EGTT70MH	1160891	7'	1	Medium Heavy	Fast	1/4-1 1/4	10-25	E	8

MUSKIE

EGTS662MH	1303945	6'6"	1	Medium Heavy	Moderate	5/8-4	14-40	T	6
EGTT662MH	1303944	6'6"	1	Medium Heavy	Moderate	5/8-3	12-30	O	5

SALMON/STEELHEAD SPINNING

EGTS 862M	1238605	8'6"	2	Medium	Moderate Fast	3/8-3/4	8-20	N	8
EGTS 962M	1238606	9'6"	2	Medium	Moderate Fast	3/8-3/4	8-12	M	11
EGTS902M	1304118	9'	2	Medium	Moderate	3/8-1	12-25	S	6

SALMON/STEELHEAD CASTING

EGTT 7101MT	1238608	7'10"	Telescopic	Medium	Moderate Fast	1/4-1	10-20	D	9
EGTT 862MH	1238607	8'6"	2	Medium Heavy	Fast	1/2-1 1/2	10-25	G	9
EGTDR902M	1303947	9'	2	Medium	Moderate	1/2-2 1/2	12-30	Q	12
EGTT 902XHVY	1238609	9'	2	Extra Heavy	Fast	3/4-3	15-50	G	11
EGTT1062M	1304119	10'6"	2	Medium	Moderate	3/8-1	10-20	P	11
EGTT1102H	1304122	11'	1	Heavy	Moderate	3/8-1	10-20	P	11
EGTT1102M	1304121	11'	1	Medium	Moderate	3/4-3	10-25	P	11

SALMON / STEELHEAD MOOCHING

EGTM1062MH	1304120	10'6"	2	Medium Heavy	Moderate	1/2-2	10-25	R	8
------------	---------	-------	---	--------------	----------	-------	-------	---	---



EAGLE GT SPECIFICATIONS

MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT	LINE WT	HANDLE	# GUIDES	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
FLY																													
EGTF764-2	1160892	7' 6"	2	•	•	•	4wt	A	9																				
EGTF865-2	1160893	8' 6"	2	•	•	•	5wt	A	10																				
EGTF905-2	1160894	9' 0"	2	•	•	•	5wt	A	10																				
EGTF906-2	1160895	9' 0"	2	•	•	•	6wt	A	10																				
EGTF908-2	1160896	9' 0"	2	•	•	•	8wt	B	10																				

ELITE TECH SMALLMOUTH SPECIFICATIONS

MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT	LINE WT	HANDLE	# GUIDES	A	B	C	D	E	F
SPINNING															
ESMS63M-F	1238595	6'3"	1	Medium	Fast	1/8-3/4	6-12	D	7						
ESMS63MH-F	1238596	6'3"	1	Medium Heavy	Fast	1/4-3/4	10-17	E	7						
ESMS632MH-F	1253042	6'3"	2	Medium Heavy	Fast	1/4-3/4	10-17	E	7						
ESMS69ML-F	1238597	6'9"	1	Medium Light	Fast	1/16-5/8	4-10	E	8						
ESMS69M-XF	1238598	6'9"	1	Medium	Extra Fast	1/8-3/4	6-12	E	8						
ESMS692M-XF	1253043	6'9"	2	Medium	Extra Fast	1/8-3/4	6-12	E	8						
ESMS74M-F	1238599	7'4"	1	Medium	Fast	1/8-3/4	6-12	F	9						
CASTING															
ESMC63M-MF	1238600	6'3"	1	Medium	Moderate Fast	1/4-5/8	8-14	A	8						
ESMC69M-XF	1238601	6'9"	1	Medium	Extra Fast	3/8-5/8	10-17	A	9						
ESMC69MH-F	1238602	6'9"	1	Medium Heavy	Fast	3/8-1	12-20	B	9						
ESMC610M-F	1238603	6'10"	1	Medium	Fast	1/8-5/8	8-14	B	9						
ESMC6102M-F	1253044	6'10"	2	Medium	Fast	1/8-5/8	8-14	B	9						
ESMC610MH-MF	1238604	6'10"	1	Medium Heavy	Moderate Fast	3/8-1	12-20	C	9						

ELITE TECH RIVER RUNNER SPECIFICATIONS

MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT	LINE WT	HANDLE	# GUIDES	A	B
ERR58UL-F	1205787	5'8"	1	Ultra Light	Fast	1/32-3/16	2-6	B	8		
ERR62SL-MF-2	1205788	6'2"	2	Super Light	Moderate Fast	1/32-1/8	1-4	B	8		
ERR68UL-F-2	1205829	6'8"	2	Ultra Light	Fast	1/32-3/16	2-6	B	8		
ERR68L-F-2	1205830	6'8"	2	Light	Fast	1/32-5/16	4-8	B	8		
ERR72L-F-2	1205831	7'2"	2	Light	Fast	1/32-5/16	4-8	A	9		
ERR76L-F-2	1205832	7'6"	2	Light	Fast	1/32-5/16	2-6	A	9		

ELITE TECH WALLEYE SPECIFICATIONS

MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT	LINE WT	HANDLE	# GUIDES	A	B	C
SPINNING												
EWS63M-XF	1139445	6'3"	1	Medium	Extra Fast	1/8-3/4	4-12	B	8			
EWS66ML-F	1139446	6'6"	1	Medium Light	Fast	1/8-5/8	4-10	A	8			
EWS66M-F	1139447	6'6"	1	Medium	Fast	1/8-3/4	4-12	A	8			
EWS69ML-F	1139448	6'9"	1	Medium Light	Fast	1/8-5/8	4-10	A	10			
EWS72M-F	1139449	7'2"	1	Medium	Fast	1/8-3/4	4-12	A	10			
EWS72ML-F	1139450	7'2"	1	Medium Light	Fast	1/8-5/8	4-10	A	10			
EWS592MH-MF	1153824	5'9"	1	Medium Heavy	Moderate Fast	1/8-1	6-12	B	8			
EWS662M-F	1153825	6'6"	2	Medium	Fast	1/8-3/4	4-10	A	8			
EWS692MH-MF	1153826	6'9"	2	Medium Heavy	Moderate Fast	1/8-1	6-12	A	10			
EWS722M-F	1153827	7'2"	2	Medium	Fast	1/8-3/4	4-10	A	10			
CASTING												
EWC662M-MF	1153828	6'6"	2	Medium	Moderate Fast	1/8-1	8-14	C	10			

ELITE TECH MUSKIE SPECIFICATIONS

MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT	LINE WT	HANDLE	# GUIDES	A	B	C
ETM86H-2	1161126	8'6"	2	Heavy	Moderate Fast	2-8	20-50	C	12			
ETM80H	1161124	8'	1	Heavy	Fast	2-8	20-50	A	11			
ETM86XH	1161125	8'6"	1	Extra Heavy	Fast	4-12	20-65	A	12			
ETM76H	1161122	7'6"	1	Heavy	Fast	2-6	20-50	B	10			
ETM79MH	1161123	7'9"	1	Medium Heavy	Extra Fast	1-4	15-40	A	11			

ELITE TECH ICE SPECIFICATIONS

MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT	LINE WT	HANDLE	# GUIDES
ETI23UL	1236135	23"	1	Ultra Light	Fast	•	2-4	A	4
ETI24ML	1236136	24"	1	Medium Light	Fast	•	2-6	A	4
ETI25UL	1236137	25"	1	Ultra Light	Fast	•	2-4	A	4
ETI26ML	1236138	26"	1	Medium Light	Fast	•	2-6	A	5
ETI27M	1236169	27"	1	Medium	Fast	•	4-8	A	5
ETI28ML	1236170	28"	1	Medium Light	Fast	•	2-6	A	5
ETI28MH	1236171	28"	1	Medium Heavy	Fast	•	6-10	A	5



AETOS ICE SPECIFICATIONS

MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT	LINE WT	HANDLE	# GUIDES
AICE18LXFS	1292502	18"	1	Light	Extra Fast	•	2-4	A	4
AICE21LXFS	1292503	21"	1	Light	Extra Fast	•	2-4	A	4
AICE25MXFS	1292504	25"	1	Medium	Extra Fast	•	4-8	B	5
AICE25ULXFS	1292505	25"	1	Ultra Light	Extra Fast	•	2-4	B	5
AICE28MLXFS	1292506	28"	1	Medium Light	Extra Fast	•	2-6	B	6
AICE28MXFS	1292507	28"	1	Medium	Extra Fast	•	4-8	B	6
AICE30MHXFS	1292529	30"	1	Medium Heavy	Extra Fast	•	6-10	B	6



METHODS SPECIFICATIONS

MODEL #	SAP #	LENGTH	PIECES	POWER	ACTION	LURE WT.	LINE WT.	HANDLE	# GUIDES
Spinning									
MET68XF-ML/MS	1294294	6'8"	5	Medium Light & Medium	Extra Fast & Fast	1/4-1 1/4	4-10 & 6-14	B	8
MET70F-M/MHS	1294295	7"	5	Medium & Medium Heavy	Fast & Moderate Fast	5-8-1	6-14 & 10-17	B	8
Casting									
MET66F-M/MHC	1294296	6'6"	5	Medium & Medium Heavy	Fast & Moderate Fast	1-4-1 1/4	6-14 & 10-17	A	9
MET74F-MH/HC	1294297	7'4"	5	Medium Heavy & Heavy	Fast & Moderate Fast	3/8-2	10-17 & 12-25	A	10

CASTING



A.

SPINNING



B.



TRAVEL CASE

FENWICK DECAL SPECIFICATIONS

MODEL #	SAP #	WIDTH
FNKSW5	1264644	5"
FNKSW12	1264645	12"



FNKSW5 ACTUAL SIZE



EARN YOUR WINGS PROGRAM

Paul Taylor from the University of Wisconsin-Whitewater is a member of the Fenwick Earn your Wings team. This team is made up of 30 elite college anglers throughout the U.S. who represent the Fenwick tradition.